**Table:** Excerpts in black from page 9 and 10 of the **Dillan July 2017 Transit Terminal Report**- which Reportwas <u>never recorded</u> as received by Town Council (Revisions in red by T. Carter, Nov. 2, 2020)**Yellow-** is to emphasize aspects of existing July 2017 Dillon Report

**Red-** Shows update in information from July 2017 Dillon Report and changes in scoring added by T. Carter on November 2, 2020

Green-shows the scoring from the July 2017 Dillon that remains after revisions in red by T. Carter

Criteria	Centre Street at Hillside Drive	Downtown Orangeville
Physical constraints	<ul> <li>√√</li> <li>5 SB bus bays in new layby curb lane</li> <li>Alternatively, with a Drive Through Option to Dawson Road adjacent to Edelbrock Centre</li> </ul>	<ul> <li>✓</li> <li>Conversion of up to 16 existing parking spaces on Broadway</li> <li>3 EB and 3 WB bus bays in existing curb lanes</li> <li>Poor accessibility</li> <li>requires crossing busy thoroughfare</li> </ul>
Compatibility with potential route networks	<ul> <li>√√</li> <li>• Good compatibility with Alternative A route network</li> <li>• Good Flexibility with east and west bound routing by means of Drive Through Option to Dawson</li> </ul>	<ul> <li>√√</li> <li>• Good compatibility due to center of town location</li> <li>• Flexibility to operate both EB and WB but only if located on both sides of Broadway</li> </ul>
Population within 400 meters	<ul> <li>√√</li> <li>328</li> <li>Population increasing with new developments within close proximity</li> </ul>	<b>√√</b> 824
Proximity to destinations	<ul> <li>√√</li> <li>Edlebrock Centre</li> <li>FreshCo</li> <li>Bank of Montreal</li> <li>Beer Store</li> <li>Dollar Tree</li> <li>Westdale Mall Stores</li> <li>7 Eleven and Gas</li> <li>Fast food outlets</li> <li>The Door Youth Centre</li> <li>Seniors Centre</li> <li>Catholic Church</li> <li>Enterprise Car Rental</li> <li>Orthodontist</li> <li>Hospice Dufferin</li> <li>Coffee Hub</li> <li>Bethsaida Retirement Home</li> <li>Physiotherapy Clinic</li> <li>Bowling Alley</li> <li>Employment Center</li> <li>Food Bank</li> </ul>	<ul> <li>√√</li> <li>Downtown Orangeville</li> <li>Public library</li> <li>Theatre Orangeville</li> <li>Lord Dufferin Centre</li> <li>Small retail</li> <li>4 Churches</li> <li>Restaurants</li> <li>Law Firms</li> <li>Paralegal</li> <li>Post Office</li> <li>Health Unit</li> <li>Banks</li> <li>Commercial Offices</li> <li>Lighthouse</li> <li>Medical clinics</li> <li>Dance Studios</li> <li>Karate Studio</li> <li>Monument Centre</li> <li>Library</li> <li>Town Hall</li> </ul>

Adjacent Land Use	٧	<u>۷</u>
	<ul> <li>Located across the street from</li> </ul>	<ul> <li>Mixed-use area</li> </ul>
	residential homes (potential noise	<ul> <li>Conversion of 16 downtown parking</li> </ul>
	complaints) but can be managed with	spaces for transit terminal
	Drive Through Option to Dawson	<ul> <li>Upper level Residential Units</li> </ul>
	Adjacent to Vacant Land &	<ul> <li>Businesses not in support</li> </ul>
	Government Services	
Ability to	<b>√√</b>	V V
accommodate	• Sufficient room to provide benches	• Sufficient room to provide benches
passenger	and shelters on Town-owned land	and shelters on Town-owned land
amenities	<ul> <li>Room to provide bathroom facilities and heated waiting areas</li> </ul>	<ul> <li>Sidewalk Congestion will cause accessibility issues</li> </ul>
	and heated waiting areas	Cannot accommodate other transit
		services
		No room to provide bathroom
		facilities or heated waiting areas
Connections to	<b>√√</b>	√
GO Transit	• Direct Connection with proposed	Walking connection
	County/ Go Transit Hub	
Relative cost	V	<b>√</b> √
	● MEDIUM	• LOW
	<ul> <li>Utilities (storm drains and fire</li> </ul>	<ul> <li>Existing parking spots to be re-striped</li> </ul>
	hydrant) to be relocated	to indicate bus loading areas
	<ul> <li>Pedestrian sidewalk to be built</li> </ul>	<ul> <li>Passenger amenities to be provided</li> </ul>
	<ul> <li>Bus lay-by curb lane to be built</li> </ul>	Requires increased cost for
	<ul> <li>Passenger amenities to be provided</li> </ul>	underground conduits for digital
Overall Score (out	14 (8)	mapping 12 (15)
Overall Score (out	14 (0)	12 (13)
of 16)	-1-1	
Consultation with	<b>√</b> √	X
local businesses		
for transit location		
on Broadway v.		
Edelbrock Centre		
Room for transit	<b>√</b> √	x
expansion		
without impact on		
existing parking		
Safety and human	<u></u>	×
health		^
considerations		
	20 (8)	12 (15)
Revised Overall	20 (8)	<mark>12</mark> (15)
Score (out of 22)		